

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claim 1 (currently amended): An airbag curtain module, comprising:

an inflatable curtain having a first edge and a second edge, the inflatable curtain being positionable in an uninflated folded state;

a plurality of first attachment members positioned adjacent the first edge of the curtain, the first attachment members being capable of securing a first portion of the module to the interior of a vehicle; and

at least one second attachment member capable of securing a second portion of the module to the interior of the vehicle, wherein the at least one second attachment member may be secured at a plurality of attachment locations, said second portion being between the first portion of the module and a bottom portion of the module, when the first portion of the module is secured to the interior of the vehicle.

Claim 2 (original): The module of claim 1, wherein the first attachment members comprise at least one tab extending from the first edge of the curtain

Claim 3 (original): The module of claim 2, wherein the tab defines an opening for receiving a connector to secure the curtain to an interior of the vehicle.

Claim 4 (original): The module of claim 1, wherein the second attachment member is secured to the curtain below the first attachment members when the airbag module is attached to the interior of the vehicle.

Claim 5 (original): The module of claim 1, further comprising a covering configured to at least partially enclose the inflatable curtain.

Claim 6 (original): The module of claim 5, wherein the first attachment members are secured to the covering.

B, Claim 7 (original): The module of claim 5, wherein the second attachment member is secured to the covering at a position below at least one of the first attachment members when the airbag is secured to the interior of a vehicle.

Claim 8 (original): The module of claim 5, wherein a plurality of second attachment members is spaced along an out-board side of the covering, substantially parallel to the first attachment members.

Claim 9 (original): The module of claim 1, wherein the second attachment member comprises a magnet.

Claim 10 (original): The module of claim 9, wherein a plurality of substantially flat magnets are spaced near the first edge of the inflatable curtain.

Claim 11 (original): The module of claim 9, wherein the magnet has a magnetic field strength which permits the module to be secured to a vehicle interior and which also permits the detachment of the magnet from a vehicle interior with minimal force applied by a user.

Claim 12 (original): The module of claim 1, wherein the second attachment member comprises an adhesive sufficient to adhere the curtain to a vehicle interior.

Claim 13 (original): The module of claim 1, wherein the second attachment member comprises a clip configured for attachment to a vehicle interior.

Claim 14 (currently amended): A vehicle occupant restraint module, comprising:

an inflatable curtain having a first edge and a second edge, the inflatable curtain being positionable in an uninflated folded state;

a covering configured to at least partially enclose the inflatable curtain when in the uninflated folded state;

a plurality of first attachment members spaced along the first edge of the curtain, the first attachment members configured to receive a connector for securing the module to the interior of a vehicle; and

a second attachment member secured to an out-board side of the covering, wherein the at least one second attachment member may be secured at a plurality of attachment locations.

Claim 15 (original): The module of claim 14, wherein at least one first attachment member is positioned to secure a first portion of the module to a vehicle interior and the second attachment member is positioned to secure a second portion of the module to the vehicle interior below the first portion.

Claim 16 (original): The module of claim 14, wherein a plurality of second attachment members is spaced along an out-board side of the covering.

Claim 17 (original): The module of claim 16, wherein the second attachment members are positioned between the first attachment members and a bottom portion of the covering when the covering is positioned about the curtain and the module is attached to the interior of a vehicle.

Claim 18 (original): The module of claim 17, wherein the second attachment members are positioned substantially parallel to the first attachment members.

Claim 19 (original): The module of claim 18, wherein the second attachment member comprises a magnet.

B1  
Claim 20 (original): The module of claim 19, wherein a plurality of magnets are spaced along an out-board side of the covering below the first attachment members when the module is secured to a vehicle interior.

Claim 21 (original): The method of claim 20, wherein each magnet is positioned opposite to, and adjacent to, one of the plurality of first attachment members.

Claim 22 (original): The module of claim 19, wherein the magnet has a magnetic field strength which permits the detachment of the magnet from a vehicle interior with minimal force applied by a user.

Claim 23 (original): The module of claim 14, wherein the second attachment member comprises an adhesive attached to the covering sufficient to adhere the covering to a vehicle interior.

Claim 24 (original): The module of claim 14, wherein the second attachment member comprises a clip attached to the covering configured for attachment of the covering to a vehicle interior.

Claim 25 (previously amended): A vehicle occupant restraint module, comprising:

an inflatable curtain having a first edge and a second edge, the inflatable curtain being positionable in an uninflated folded state;

a covering configured to at least partially enclose the inflatable curtain in a folded state;

a plurality of first attachment members configured to receive a connector for securing the module to the interior of a vehicle; and

a plurality of magnets secured to an out-board side of the covering, at least one magnet being positioned between a first attachment member and a bottom portion of the covering when the curtain is in a folded state within the covering, and the module is secured to a vehicle interior.

b) Claim 26 (currently amended): A method for attaching an airbag curtain module to the interior of a vehicle, the module comprises an inflatable curtain configurable in a folded state, a covering configured to at least partially enclose the inflatable curtain in the folded state, a plurality of first attachment members spaced along the first edge of the curtain, and at least one second attachment member secured to an out-board side of the cover between the first attachment member and a bottom portion of the covering, comprising:

folding the airbag curtain into a predetermined configuration;

securing the covering about the airbag curtain;

securing the first attachment members to the interior of a vehicle; and

securing the second attachment members to the interior of a vehicle at a position below the first attachment members, wherein the second attachment member is secured to the vehicle interior before the first attachment member is secured to the vehicle interior.

Claim 27 (original): The method of claim 26, wherein the second attachment member comprises a magnet and the step of securing the second attachment member comprises positioning the module adjacent a metallic surface to permit the magnetic force of the magnet force of the magnet to secure the module to a vehicle interior.

Claim 28 (canceled) ~~The method of claim 26, wherein the second attachment member is secured to the vehicle interior before the first attachment member is secured to the vehicle interior.~~

Claim 29 (new) An airbag curtain module, comprising:

an inflatable curtain in an uninflated state;

a plurality of first attachment members positioned adjacent the first edge of the curtain, wherein the first attachment members secure a first portion of the module to the interior of a vehicle; and

15 a second attachment member securing a second portion of the module to the interior of the vehicle, wherein the at least one second attachment member is secured to the interior of the vehicle by itself, wherein the second portion is between the first portion of the module and a bottom portion of the module, when the first portion of the module is secured to the interior of the vehicle.

Claim 30 (new): The module of claim 29, wherein the second attachment member comprises a magnet.

Claim 31 (new): The module of claim 30, wherein the magnet has a magnetic field strength which permits the module to be secured to a vehicle interior and which also permits the detachment of the magnet from a vehicle interior with minimal force applied by a user.

Claim 32 (new): The module of claim 29, wherein the second attachment member comprises an adhesive sufficient to adhere the curtain to a vehicle interior.

Claim 33 (original): The module of claim 29, wherein the second attachment member comprises a clip configured for attachment to a vehicle interior.

Claim 34 (new) An airbag curtain module, comprising:

an inflatable curtain in an uninflated state;

a plurality of first attachment members positioned adjacent the first edge of the curtain, wherein the first attachment members secure a first portion of the module to the interior of a vehicle; and

B2 a second attachment member securing a second portion of the module to the interior of the vehicle, wherein the at least one second attachment member is secured to the interior of the vehicle by urging the at least one second attachment member against the interior of the vehicle, wherein the second portion is between the first portion of the module and a bottom portion of the module, when the first portion of the module is secured to the interior of the vehicle.

Claim 35 (new): The module of claim 34, wherein the second attachment member comprises a magnet.

Claim 36 (new): The module of claim 35, wherein the magnet has a magnetic field strength which permits the module to be secured to a vehicle interior and which also permits the detachment of the magnet from a vehicle interior with minimal force applied by a user.

Claim 37 (new): The module of claim 34, wherein the second attachment member comprises an adhesive sufficient to adhere the curtain to a vehicle interior.

Appl. No. 09/996,021  
Amdt. dated July 21, 2003  
Reply to Office Action of April 24, 2003

*re* Claim 38 (new): The module of claim 34, wherein the second attachment member comprises a clip configured for attachment to a vehicle interior.

---